Factsheet

PMA and **PMMA**

What are PMA and PMMA?

Paramethoxyamphetamine (PMA) and paramethoxymethamphetamine (PMMA) are stimulants with hallucinogenic effects similar to MDMA, which is the main ingredient in ecstasy. In fact most people who take PMA or PMMA think they are taking ecstasy. However, drugs sold as ecstasy may not contain any MDMA. They can be a mix of amphetamines, PMA, PMMA, ketamine, NBOMe, methylone or other substances.

This is potentially harmful as PMA and PMMA have more toxic effects (and are less euphoric) than MDMA. It also takes longer to feel these effects, so people may take another pill in the mistaken belief that the first has not worked, sometimes resulting in overdose. PMA and PMMA have been around since the 1970s and have been associated with a number of deaths over the years worldwide including in Australia. In 2012 and 2013 there was a spike in deaths directly attributable to PMA or PMMA in England and Wales.

How are they used?

PMA and PMMA are usually swallowed and can be snorted or injected.

Slang names

Death, Dr. Death, Pink Ecstasy, Red Mitsubishi, Killer, Chicken Powder and Chicken Yellow.

Effects of PMA and PMMA

There is no safe level of drug use. Use of any drug always carries some risk. It's important to be careful when taking any kind type of drug.

PMA and PMMA affect everyone differently, but effects may include:

- Feeling alert and excited
- Seeing colours and shapes
- Heightened senses (sight, hearing and touch)
- Dry mouth
- Teeth grinding
- Increased sweating
- Increased heart beat and blood pressure
- Difficulty breathing
- Irregular eye movements
- Muscle spasms
- Nausea

If a large amount or a strong batch of PMA or PMMA is taken, the following may also be experienced:

- Kidney failure
- Extremely high body temperature
- Vomiting
- Convulsions and seizures

- Coma
- Death

High doses of PMA or PMMA can be potentially lethal. Triple zero (000) should be called immediately if someone is experiencing these effects. Ambulance officers don't have to involve the police.

Long term effects

The long term effects of PMA and PMMA have not yet been established but health professionals believe they may have similar long term effects to ecstasy.

Using PMA or PMMA with other drugs

Taking PMA or PMMA with other drugs such as alcohol, cocaine, amphetamines, cannabis and some prescription medications such as anti-depressants (SSRIs and MAOIs) can be potentially fatal.

Health and safety

The use of any drug carries a risk of harm. This risk is increased when:

- · Large amounts are taken.
- It is taken with other drugs such as alcohol, prescribed or over-the-counter medications.
- It is snorted (due to the risk of nasal lining damage).
- It is injected (due to the risks of vein damage and of contracting hepatitis B, hepatitis C and AIDS/HIV).
- The person who takes the drug is alone (as they may need help in a medical emergency).
- The person who takes the drug drives, swims, operates machinery or is involved with other risky activities while under its influence or 'coming down' which can take several days.

Getting help

If your use of ecstasy is affecting your health, family, relationships, work, school, financial or other life situations, you should seek help and support.

Further Information

The Druginfo website has information on:

- Help & support services
- Treatment
- Drug facts
- References for this fact sheet

Go to druginfo.adf.org.au

These fact sheets are funded by



Factsheet

PMA and PMMA

Stay informed

twitter.com/AustDrug linkedin.com/company/australian-drug-foundation facebook.com/AustralianDrugFoundation grogwatch.adf.org.au adf.org.au/subscribe

Level 12, 607 Bourke Street, Melbourne PO Box 818 North Melbourne Victoria Australia 3051

Email descinfo@adf.org.au Telephone 1300 85 85 84

May 2016

Page 3/3

© The Australian Drug Foundation, 2014. ABN 66 057 731 192. This fact sheet offers general information only. The Australian Drug Foundation recommends that you obtain professional advice based on your individual circumstances before acting on information in this fact sheet.